# Naldoni e Biondi NBP000065024H40 hydraulic cylinder piston

Manufacturer: Naldoni e Biondi

Part number: NBP000065024H40

## Specifications

NBP hydraulic cylinder piston.

Diameter A: 65 mm; bore diameter B: 24 mm; length C: 40 mm.

Catalogue material designations: 11SMn30 / C45 / 080M46. Confirm the supplied material grade.

Catalogue series pressure: 250 bar. The operating pressure rating depends on the complete cylinder design.

Confirm the mating rod, seals and cylinder dimensions for the application.

## Manufacturer documentation

| Technical reference | Pages in this PDF |
|---|---|
| Dimensional drawings and model data | 2-3 |


Technical documentation: Naldoni e Biondi manufacturer catalogue.

# Pistone / Piston

## > 250 bar

**> Materiale di produzione:**
Acciaio 11SMn30 - C45

**> Production material :**
Steel 11SMn30 - 080M46




| COD. | A | B | C |
|---|---|---|---|
| NBP000030013 | 30 | 13 | 25 |
| NBP000032013 | 32 | 13 | 30 |
| NBP000032015 | 32 | 15 | 30 |
| NBP000035015 | 35 | 15 | 40 |
| NBP000040015 | 40 | 15 | 40 |
| NBP000045015 | 45 | 15 | 40 |
| NBP000050015 | 50 | 15 | 40 |
| NBP000050020 | 50 | 20 | 40 |
| NBP000050025 | 50 | 25 | 40 |
| NBP000055020 | 55 | 20 | 40 |
| NBP000060020 | 60 | 20 | 50 |
| NBP000060020H40 | 60 | 20 | 40 |
| NBP000060024 | 60 | 24 | 45 |
| NBP000060024H40 | 60 | 24 | 40 |
| NBP000060024H50 | 60 | 24 | 50 |
| NBP000060027 | 60 | 27 | 50 |
| NBP000060027H40 | 60 | 27 | 40 |
| NBP000063020 | 63 | 20 | 50 |
| NBP000063020H40 | 63 | 20 | 40 |
| NBP000063024 | 63 | 24 | 45 |
| NBP000063024H40 | 63 | 24 | 40 |
| ▸ NBP000063024H50 | 63 | 24 | 50 |
| NBP000063027 | 63 | 27 | 50 |
| NBP000065020 | 65 | 20 | 50 |
| NBP000065020H40 | 65 | 20 | 40 |
| NBP000065020H40 | 65 | 20 | 40 |

▸ a richiesta su lotto minimo / on request on a minimum batch

| COD. | A | B | C |
|---|---|---|---|
| NBP000065024 | 65 | 24 | 45 |
| NBP000065024H40 | 65 | 24 | 40 |
| ▸ NBP000065024H50 | 65 | 24 | 50 |
| NBP000065027 | 65 | 27 | 50 |
| ▸ NBP000065027H40 | 65 | 27 | 40 |
| NBP000070020 | 70 | 20 | 50 |
| NBP000070024 | 70 | 24 | 45 |
| NBP000070024H50 | 70 | 24 | 50 |
| NBP000070027 | 70 | 27 | 50 |
| NBP000075024 | 75 | 24 | 45 |
| ▸ NBP000075024H50 | 75 | 24 | 50 |
| NBP000075027 | 75 | 27 | 50 |
| NBP000080024 | 80 | 24 | 45 |
| ▸ NBP000080024H50 | 80 | 24 | 50 |
| NBP000080027 | 80 | 27 | 50 |
| NBP000080030 | 80 | 30 | 50 |
| NBP000085024 | 85 | 24 | 45 |
| ▸ NBP000085024H50 | 85 | 24 | 50 |
| NBP000085027 | 85 | 27 | 50 |
| NBP000090027 | 90 | 27 | 50 |
| NBP000090033 | 90 | 33 | 50 |
| NBP000100027 | 100 | 27 | 50 |
| NBP000100033 | 100 | 33 | 50 |
| NBP000110033 | 110 | 33 | 50 |
| NBP000110040 | 110 | 40 | 50 |
| NBP000120040 | 120 | 40 | 50 |
| NBP000125040 | 125 | 40 | 50 |
| NBP000130040 | 130 | 40 | 50 |
| NBP000140040 | 140 | 40 | 58 |
| NBP000150040 | 150 | 40 | 58 |
| NBP000160051 | 160 | 51 | 58 |

▸ a richiesta su lotto minimo / on request on a minimum batch